ELSEVIER

Biomembranes

Vol. 1420, No. 1–2; 20 August 1999

BIOCHIMICA ET BIOPHYSICA ACTA
BBA

www.elsevier.com/locate/bba

# Contents

*BBA is cited in: Current Contents/Life Sciences - Biological Abstracts - Chemical Abstracts - Index Chemicus - Index Medicus/MEDLINE - Cambridge Scientific Abstracts (CSA) - EMBASE/Excerpta Medica - Reference Update - Elsevier BIOBASE/Current Awareness in Biological Sciences*

*Information for Contributors* vii

## *Regular papers*

Structure of cytochrome *c* complexes with phospholipids as revealed by resonance energy transfer
*G.P. Gorbenko (Ukraine)* 1

C-terminally shortened alamethicin on templates: influence of the linkers on conductances
*H. Duclohier, K. Kociolek, M. Stasiak, M.T. Leplawy and G.R. Marshall (France, Poland, USA)* 14

Membrane channel formation by antimicrobial protegrins
*Y. Sokolov, T. Mirzabekov, D.W. Martin, R.I. Lehrer and B.L. Kagan (USA)* 23

The ion coupling and organic substrate specificities of osmoregulatory transporter ProP in *Escherichia coli*
*S.V. MacMillan, D.A. Alexander, D.E. Culham, H.J. Kunte, E.V. Marshall, D. Rochon and J.M. Wood (Canada)* 30

Trifluoromethyl ketones and methyl fluorophosphonates as inhibitors of group IV and VI phospholipases $A_2$: structure-function studies with vesicle, micelle, and membrane assays
*F. Ghomashchi, R. Loo, J. Balsinde, F. Bartoli, R. Apitz-Castro, J.D. Clark, E.A. Dennis and M.H. Gelb (USA, Venezuela)* 45

Phosphatidylcholine makes specific activity of the purified $Ca^{2+}$-ATPase from plasma membranes independent of enzyme concentration
*L.M. Bredeston and A.F. Rega (Argentina)* 57

Melibiose carrier of *Escherichia coli*: use of cysteine mutagenesis to identify the amino acids on the hydrophilic face of transmembrane helix 2
*S. Matsuzaki, A.C. Weissborn, E. Tamai, T. Tsuchiya and T.H. Wilson (USA)* 63

Fluorescence, absorption and electron spin resonance study of bacteriochlorin *a* incorporation into membrane models
*M. Hoebeke, X. Damoiseau, H.J. Schuitmaker and A. Van de Vorst (Belgium, Netherlands)* 73

Composition and permeability of syncytiotrophoblast plasma membranes in pregnancies complicated by intrauterine growth restriction
*T.L. Powell, T. Jansson, N.P. Illsley, M. Wennergren, M. Korotkova and B. Strandvik (Sweden, USA)* 86

Permeation of dicarboxylic acids with different terminal position of two carboxylic groups through planar bilayer lipid membranes
*V.Y. Evtodienko, D.I. Bondarenko and Y.N. Antonenko (Russian Federation)* 95

TrkB mutant lacking the amino-terminal half of the extracellular portion acts as a functional brain-derived neurotrophic factor receptor
*S. Kojima, T. Nakayama, G. Kuwajima, H. Suzuki and T. Sakata (Japan)* 104

Computational study of nisin interaction with model membrane
*L. Lins, P. Ducarme, E. Breukink and R. Brasseur (Belgium, France, Netherlands)* 111

Solid-state NMR and FTIR studies on bilayer membranes from 1,2-dioctadec-(14-ynoyl)-*sn*-glycero-3-phosphatidylcholine
*P. Wolfangel, H.H. Meyer, U.T. Bornscheuer and K. Müller (Germany)* 121

Pore-forming action of mastoparan peptides on liposomes: a quantitative analysis
*A. Arbuzova and G. Schwarz (Switzerland)* 139

Selective transfer of a lipophilic prodrug of 5-fluorodeoxyuridine from immunoliposomes to colon cancer cells
*G.A. Koning, H.W.M. Morselt, M.J. Velinova, J. Donga, A. Gorter, T.M. Allen, S. Zalipsky, J.A.A.M. Kamps and G.L. Scherphof (Canada, The Netherlands, USA)* 153

Kinetic and equilibrium studies of incorporation of disulfonated aluminum phthalocyanine into unilamellar vesicles
*N. Maman, S. Dhami, D. Phillips and D. Brault (France, UK)* 168

Association of ethanol with lipid membranes containing cholesterol, sphingomyelin and ganglioside: a titration calorimetry study
*C. Trandum, P. Westh, K. Jørgensen and O.G. Mouritsen (Denmark)* 179

New fluorescent cholesterol analogs as membrane probes
*I.V. Grechishnikova, F. Bergström, L.B.-Å. Johansson, R.E. Brown and J.G. Molotkovsky (Russian Federation, Sweden, USA)* 189

pH and ligand binding modulate the strength of protein–protein interactions in the $Ca^{2+}$-ATPase from sarcoplasmic reticulum membranes
*J.M. Merino and C. Gutiérrez-Merino (Spain)* 203

Modification of the N-terminal polyserine cluster alters stability of the plasma membrane $H^+$-ATPase from *Saccharomyces cerevisiae*
*A. Hasper, P. Soteropoulos and D.S. Perlin (USA)* 214

Protein kinase C-mediated regulation of the renal $Na^+$/dicarboxylate cotransporter, NaDC-1
*A.M. Pajor and N. Sun (USA)* 223

Activation of the human intermediate-conductance $Ca^{2+}$-activated $K^+$ channel by 1-ethyl-2-benzimidazolinone is strongly $Ca^{2+}$-dependent
*K.A. Pedersen, R.L. Schrøder, B. Skaaning-Jensen, D. Strøbæk, S.-P. Olesen and P. Christophersen (Denmark)* 231

Interaction mode specific reorganization of gel phase monoglyceride bilayers by β-lactoglobulin
*J.-W.P. Boots, V. Chupin, J.A. Killian, R.A. Demel and B. de Kruijff (Netherlands)* 241

Effects of cannabinoids in membrane bilayers containing cholesterol
*T. Mavromoustakos and I. Daliani (Greece)* 252

*Rapid report*

Lag-burst kinetics in phospholipase $A_2$ hydrolysis of DPPC bilayers visualized by atomic force microscopy
*L.K. Nielsen, J. Risbo, T.H. Callisen and T. Bjørnholm (Denmark)* 266

*Author Index* 272

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at:
**www.elsevier.nl/locate/contentsdirect**